

Configure a Product Finder Action

Follow these steps to configure the action that adds a [Product Finder questionnaire](#) to a Web experience.



If you don't have Product Finder actions in your account and want to enable this feature, contact your dedicated Customer Success Manager.

1. Create a new Web experience, and then configure the [WHY](#) and [WHO](#) settings.
2. Click **WHAT** and then click **ADD ACTION**.

[BACK TO WEB EXPERIENCES](#) VIEW ANALYTICS

Holidays—Product Finder

DRAFT | Created: Sept 5 2024, 3:24 PM

[+ ADD TAGS](#)

WHY to increase lift for all traffic

WHO For all visitors where there is a High incidence of families with children (above 70th percentile) **AND** in High proportion between 25 and 64 (above 65th percentile) age distribution

WHAT **A** Add action...

WHEN from Sept 5 2024, 3:24 PM ongoing

WHAT [ADD ACTION](#)

3. Click **Product Finder** on the Action Type panel.

[WHAT](#) **ACTION TYPE** [RETURN TO WHAT](#)

Action Type

Images	HTML	CSS	JavaScript
Lightboxes	Hide/Show Content	Recommendation	Social Proof
Product Finder	Badges	Create New Action	Other

4. Click the Product Finder action template that you want to use.






The action template options shown here may not reflect the options that appear in your account.

WHAT ACTION TYPE PRODUCT FINDER [RETURN TO ACTION TYPE](#)

Product Finder

Any page

Insert Product Finder  

Insert an Omnichannel Product Finder 

- Select the Product Finder questionnaire that you want to use.




Selecting a questionnaire that uses a local recommendation strategy prohibits you from duplicating the experience you're configuring into a different account. See [Global and Local Recommendation Strategies](#) to understand the limitations of a local recommendation strategy.

WHAT ACTION TYPE PRODUCT FINDER PRODUCT FINDER [RETURN TO SELECT ACTION](#)

Product Finder

Shows a product finder.
This action contains no built-in targeting.

Required Inputs

Product Finder 
Choose a Product Finder


- Input the maximum number of recommended products that you want displayed in the questionnaire results.


WHAT ACTION TYPE PRODUCT FINDER PRODUCT FINDER [RETURN TO SELECT ACTION](#)

Product Finder

Shows a product finder.
This action contains no built-in targeting.

Required Inputs

Product Finder 
Choose a Product Finder

Maximum Items 
The maximum number of items to include in the recommendation

- Configure the settings related to where on the site the questionnaire should appear.
 - Input the selector that identifies where on the page on your site the questionnaire should appear.
 - Select a method that determines where the questionnaire should appear in relation to the selector you input in **Insert Selector**.
 - Toggle **Recheck for Elements** to **YES** if you want the action to keep checking the page every 50 milliseconds for up to 3 seconds if it doesn't immediately find the selector.

Required Inputs

Product Finder

GIFT FINDER ▾

Choose a Product Finder

Maximum Items

4

The maximum number of items to include in the recommendation

Insert Selector

#product-listing-container

Selector to find the node where the Product Finder will be inserted.

Insert Method

BEFORE ▾

Method used to insert or replace the Product Finder into the selected node.

Re-check for Elements

III NO

If the selector is not initially found, wait up to 3 seconds for it to show up.

8. Modify the HTML code in any of the four templates to customize the questionnaire's appearance. See [Modifying the Templates](#) in this documentation for specifics about each template.
- The code in the **Template** editor controls the [Product Finder container](#).
 - The code in the **Item Template** editor controls the appearance of the [product recommendations](#).
 - The code in the **Single Answer Template** editor controls the appearance of [questions and answer options](#) of which the customer can only select one.
 - The code in the **Multiple Answer Template** editor controls the appearance of [multiple-choice questions](#).

Template

```
1 <div class="mt-product-finder-container">
2 <!-- Adds a welcome screen to your product finder. Remove to go straight to Question 1 -->
3 <div class="mt-product-finder-welcome-screen-wrapper" data-welcome-screen>
4 <h2>What's your unique style?</h2>
5 <h4>Take the quiz and find out.</h4>
6 <button class="mt-product-finder-welcome-screen-button" data-start-quiz>Get Started</button>
7 </div>
8 <!-- data-quiz-section attribute is required to display quiz correctly -->
9 <div class="mt-product-finder-quiz-wrapper" data-quiz-section>
10 <!-- {{PLACEHOLDERS}} can be moved but not deleted. If deleted, these placeholders will not be displayed -->
11 <div>{{QUESTION}}</div>
```

HTML template to build product finder. Attributes (ex: 'data-back-button') are specific to the HTML elements above. If attributes are not available, the above HTML will not work.

Item Template

```
1 <div class="mt-product-finder-item" style="width: auto;">
2 
3 <p class="mt-product_title">{{ title }}</p>
4 <p>{{ price }}</p>
5 </div>
```

Configure and style the resulting product items.

Single Answer Template

```
1 <div class="mt-product-finder-single-select">
2 <input type="radio" id="{{ singleSelectAnswerId }}" value="{{ singleSelectAnswerId }}" name="mt-single-select-ra
3 <label for="{{ singleSelectAnswerId }}">
4 {{ ANSWER_IMAGE }}
5 <span>{{ SINGLE_SELECT_ANSWER }}</span>
6 </label>
7 </div>
```

Configure and style questions which allow the user to only select a single answer.

Multiple Answer Template

```
1 <div class="mt-product-finder-multi-select">
2 <input type="checkbox" id="{{ multiSelectAnswerId }}" value="{{ multiSelectAnswerId }}">
3 <label for="{{ multiSelectAnswerId }}">
4 {{ ANSWER_IMAGE }}
5 <span>{{ MULTI_SELECT_ANSWER }}</span>
6 </label>
7 </div>
```

Configure and style questions which allow the user to select multiple answers.

- As necessary, input CSS to style the action. Copy and paste the code into the CSS editor, or click **CHOOSE SAVED CSS** or **UPLOAD CSS** to insert CSS. See [Styling the Product Finder](#) for a sample stylesheet.



The CSS you input at the experience level overwrites existing styling in any external or browser-based stylesheet on your site. Review [CSS Action Tips and Tricks](#) to better understand how CSS properties in actions work.

CHOOSE SAVED CSS

UPLOAD CSS

```
1 .mt-product-finder-container {
2   border-radius: 3px;
3   color: #2b2b2b;
4   display: flex;
5   height: 100%;
6   margin: 2% 4%;
7 }
8
```

Add CSS styling as required.

- Optionally, click **CHOOSE SAVED JAVASCRIPT** or **UPLOAD JAVASCRIPT** to add JavaScript content to the action. Click **PREVIEW** after you add the JavaScript to ensure it works correctly.

Optional Inputs

CHOOSE SAVED JAVASCRIPT
UPLOAD JAVASCRIPT
PREVIEW

1

JS to run on the page.

Apply this action when the following conditions are met:

ADD CONDITION

CREATE
CANCEL

- To specify where and when the action fires, click **ADD CONDITION**, select one of the options, and then type into the respective input field the necessary information to complete the condition. Repeat as needed to add the necessary action conditions to meet your needs for the action.



See [Action Conditions](#) for more information about specific action conditions and how to configure them.

Optional Inputs

CHOOSE SAVED JAVASCRIPT
UPLOAD JAVASCRIPT
PREVIEW

1

JS to run on the page.

Apply this action when the following conditions are met:

ADD CONDITION

- Page type
- URL
- Time
- Cart Value
- Landing page
- Page breadcrumb
- Page category
- On product page, ...
- On index page, ...

- Click **CREATE**.

Complete the experience by configuring the [WHEN](#) settings. Next, either [preview](#) the experience to ensure you

satisfied with the settings, or activate it.

Modifying the Templates

The four templates allow you to customize the questionnaire's appearance.

Customizing the Product Finder Container

The HTML code in the **Template** editor determines the look of the container in which the Product Finder action appears.

```
<div class="mt-product-finder-container">
  <!-- Adds a welcome screen to your product finder. Remove to go straight to question 1 -->
  <div class="mt-product-finder-welcome-screen-wrapper" data-welcome-screen>
    <h2>What's your unique style?</h2>
    <h4>Take the quiz and find out.</h4>
    <button class="mt-product-finder-welcome-screen-button" data-start-quiz>Get Started</button>
  </div>
  <!-- data-quiz-section attribute is required to display quiz correctly -->
  <div class="mt-product-finder-quiz-wrapper" data-quiz-section>
    <!-- {{PLACEHOLDERS}} can be moved but not deleted. If deleted, these placeholders will not l
    <div>{{QUESTION}}</div>
    <div>{{INSTRUCTIONAL_TEXT}}</div>
    <div>{{ANSWERS}}</div>
    <div class="mt-product-finder-button-container">
      <button class="mt-product-finder-back-button" data-back-button>Back</button>
      <button class="mt-product-finder-next-button" data-next-button>Next</button>
    </div>
  </div>
  <!-- data-result-section attribute is required to display Product Finder results correctly -->
  <div class="mt-product-finder-results-wrapper" data-result-section>
    <!-- data-result attribute is needed to display content when results are found -->
    <div class="mt-product-finder-result" data-result>
      <div class="mt-product-finder-result-bold-text">Here are your results</div>
      {{PRODUCTS}}
    </div>
    <!-- data-no-result attribute is needed to display content when no results are found -->
    <div class="mt-product-finder-no-result" data-no-result>
      <strong>Oops!</strong>
      <div>It doesn't look like anything was found</div>
    </div>
    <button class="mt-product-finder-restart-button" data-restart-button>RESTART</button>
  </div>
</div>
```

The key attributes in this template are as follows:

- `data-quiz-section` — Adds the functionality to display the questionnaire
- `data-next-button` — Adds the functionality to navigate forward to the next question in the questionnaire
- `data-result-section` — Adds the functionality to display the recommended products that are the result of the answer(s) selected
- `data-result` — Adds the functionality to display whatever content is within this element when the answer(s) selected result in recommended products
- `data-no-result` — Adds the functionality to display whatever content is within this element if no recommended products are the result of the answer(s) selected

Ensure that you don't delete any of the attributes listed above when modifying the template. Doing so can cause the Product Finder action to malfunction.

You can delete any of the following attributes if you don't want to the customer to have the navigational option within the questionnaire that the attribute defines:

- `data-back-button` — Adds the functionality to navigate backward to the previous question in the questionnaire
- `data-restart-button` — Adds the functionality to navigate back to the beginning of the questionnaire, with all previous answers cleared

Finally, you can delete the `data-welcome-screen` attribute if you don't want the questionnaire to begin with an introductory message for customers before the first question.

See [Product Finder Style Guide](#) for more ideas to customize the Product Finder container.

Customizing the Welcome Screen

The optional `data-welcome-screen` attribute gives you the opportunity to introduce a customer to the Product Finder questionnaire that compels them to take the full questionnaire rather than exit before answering the first question. You can craft the message that appears as well as customize the button that advances the customer forward to the first question.



If you fail to include the button on the welcome screen or if it's not defined correctly, then customers have no way to move forward to the first question.

```
<div class="mt-product-finder-welcome-screen-wrapper" data-welcome-screen>
  <h2>What's your unique style?</h2>
  <h4>Take the quiz and find out.</h4>
  <button class="mt-product-finder-welcome-screen-button" data-start-quiz>Get Started</button>
</div>
```

If the customer clicks the button to restart the questionnaire, then they're returned to the first question, not to the welcome screen.

The code for the welcome screen appears by default in the Product Finder container HTML template. Therefore, if you don't want to include it in the action, you must remove the code for it.

Customizing the 'Results Found' Message

The `data-result` attribute adds the functionality to display whatever message you want a customer to see when the answer(s) that the customer selected result in product recommendations. You can modify the message text included in the Product Finder container template however you see fit.

```
<div class="mt-product-finder-result" data-result>
  <div class="mt-product-finder-result-text">Check out these fab finds that match your preferen
    {{PRODUCTS}}
  </div>
```

When configuring an action that uses a Product Finder questionnaire that shows results after the customer has answered all the questions, you can optionally modify the template so that a **Restart** button accompanies the "Results Found" message and product recommendations.

```
<div class="mt-product-finder-result" data-result>
  <div class="mt-product-finder-result-text">Check out these fab finds that match your preferen
    {{PRODUCTS}}
  <button class="mt-product-finder-restart-button" data-restart-button>Restart</button>
</div>
```

This button gives the customer the option to revisit the questionnaire from the beginning, select different answers, and receive different recommendations.

Customizing the 'No Results Found' Message

The `data-no-result` attribute adds the functionality to display whatever message you want a customer to see if there are no recommendations resulting from the answer(s) selected. You can modify the "No results found" message text included in the Product Finder container template however you see fit.

```
<div class="mt-product-finder-no-result" data-no-result>Sorry! We can't recommend any produ
  <button class="mt-product-finder-restart-button" data-restart-button>Restart</button>
```

As you can see in the code snippet above, the Product Finder container template includes coding for a button to restart the questionnaire to accompany the "No results found" message.

When configuring an action that uses a questionnaire set up to show results each time the customer answers a question, you should modify the template so that a **Back** button accompanies the "No Results Found" message instead of a **Restart** button. Here's an example of the code modified to do just that.

```
<div class="mt-product-finder-no-result" data-no-result>Sorry! We can't recommend any produ
  <button class="mt-product-finder-back-button" data-back-button>Back</button>
```

Customizing the Results

The HTML code in the **Item Template** editor controls the appearance of the product recommendations returned

either at the end of the questionnaire or after the site visitor answer a question.

```
<div class="mt-product-finder-item" style="width: auto;">
  <img class="mt-product_img" src="">
  <p class="mt-product_title">{{title}}</p>
  <p>{{price}}</p>
</div>
```

Including Values from Product Catalog Custom Fields

If the questionnaire that you selected for the action you're configuring includes [product catalog custom fields](#) and you want to display the value from any of those custom fields, then you must include a

`{{CustomFieldName}}` placeholder in the results template. You must include this placeholder for each custom field that you want displayed in this action.



You cannot include a `{{CustomFieldName}}` placeholder for a custom field that *is not* included in the questionnaire that you selected.

For example, you're configuring a Product Finder action that uses the Holiday Gift Finder questionnaire. This Product Finder questionnaire is set up to include values from the `LowStockLevel` and `FreeShipping` custom fields.

Create Product Finder

Name your Product Finder

Holiday Gift Finder

Add a unique name containing between 4 and 64 characters.

Name may not include special characters (^ # ^ + = [] { } \ | < > / ? ~).

Select Recommendation Strategy

Your guided questionnaire will deliver filtered results based on the selected recommendation strategy.

CK_STRATEGY ▾

When do you want results returned?

Results can be displayed at every step or when the user concludes the questionnaire.

☐ Return results after each question

☒ Return results when the user concludes the questionnaire

List any custom catalog fields you'd like returned to the client.

Provide a comma-separated list of any custom field you'd like returned. These can be any field in your catalog.

LowStockLevel,FreeShipping

You only want to include the value of the `FreeShipping` custom field, which is either `Yes` or `No`, with the other product information displayed for recommendations. Therefore, you could modify the code in the **Item Template** editor as shown here.

```
<div class="mt-product-finder-item" style="width: auto;">
  <p class="mt-product__title">{{title}}</p>
  <p class="mt-product__title">Qualifies for free shipping: {{FreeShipping}}</p>
  <img class="mt-product__img" src="">
</div>
```

Ensure that you match the spelling and case of the custom field name that you input into the placeholder with the spelling and case of the custom field name as it appears in the product catalog.

Customizing the Questions and Answers

The code in the **Single Answer Template** editor controls the appearance of questions for which the site visitor can only select one answer.

```
<div class="mt-product-finder-single-select">
  <input type="radio" id="{{singleSelectAnswerId}}" value="{{singleSelectAnswerId}}" name="
  <label for="{{singleSelectAnswerId}}">
    {{ANSWER_IMAGE}}
    <span>{{SINGLE_SELECT_ANSWER}}</span>
  </label>
</div>
```

The code in the **Multiple Answer Template** editor controls the appearance of multiple-choice questions.

```
<div class="mt-product-finder-multi-select">
  <input type="checkbox" id="{{multiSelectAnswerId}}" value="{{multiSelectAnswerId}}">
  <label for="{{multiSelectAnswerId}}">
    {{ANSWER_IMAGE}}
    <span>{{MULTI_SELECT_ANSWER}}</span>
  </label>
</div>
```

The `{{SINGLE_SELECT_ANSWER}}` and `{{MULTI_SELECT_ANSWER}}` placeholder in each respective template is necessary for answer text to appear.



If you remove the `{{SINGLE_SELECT_ANSWER}}` or `{{MULTI_SELECT_ANSWER}}` placeholder from its respective template, then the text for each answer option for each question within the questionnaire does not appear.

The `{{ANSWER_IMAGE}}` placeholder is necessary if any of the questions in the questionnaire include images, either with or without text, as answer options.

Coding Image-Only Answer Options

If you want the answer options shown to customers to display images only, first ensure that the questionnaire selected for the action includes images for each answer option for each question. If not, then follow the steps in

Adding Images to Answer Options within Create a Product Finder Questionnaire.

Next, remove the `{{SINGLE_SELECT_ANSWER}}` placeholder and the `{{MULTI_SELECT_ANSWER}}` placeholder from its respective template to prevent any answer text from appearing.

Here's an example of the single-answer template code modified to display image-only answer options.

```
<div class="mt-product-finder-single-select">
  <input type="radio" id="{{singleSelectAnswerId}}" value="{{singleSelectAnswerId}}" name="
  <label for="{{singleSelectAnswerId}}">
    {{ANSWER_IMAGE}}
  </label>
</div>
```

The multiple-choice answer template code for this example could be modified as follows.

```
<div class="mt-product-finder-multi-select">
  <input type="checkbox" id="{{multiSelectAnswerId}}" value="{{multiSelectAnswerId}}">
  <label for="{{multiSelectAnswerId}}">
    {{ANSWER_IMAGE}}
  </label>
</div>
```

You must maintain the `input type="radio"` in the single-answer template and the `input type="checkbox"` in the multiple-choice answer template even though these input interface elements don't appear for the customer. Input selection buttons are hidden by default for answer options that include images.

Adding a Questionnaire Progress Bar

You can add a progress bar to a Product Finder questionnaire by inserting specific HTML and CSS code into the Product Finder action template.



The HTML and CSS code for the optional progress bar do not appear by default in a Product Finder action template. You must add the code if you want to include this optional function.

2 / 4

How much do you want to spend?

Less than \$50 \$50 to \$100 **\$100 to \$150** More than \$150

BACK NEXT

Insert into the **Template** editor this HTML code after `<div class="mt-product-finder-quiz-wrapper" data-quiz-section>` .

```
<div data-progress-bar class="mt-product-finder-progress-bar-container">
  <div style="width: {{PROGRESS_BAR_PERCENTAGE}}%"></div>
</div>
  {{PROGRESS_BAR_COMPLETED_QUESTIONS}} / {{PROGRESS_BAR_TOTAL_QUESTIONS}}
</div>
</div>
```

The `{{PROGRESS_BAR_PERCENTAGE}}` , `{{PROGRESS_BAR_COMPLETED_QUESTIONS}}` , and `{{PROGRESS_BAR_TOTAL_QUESTIONS}}` placeholders in this HTML code only work if they're placed under an HTML element that has the `data-progress-bar` attribute.



You can remove the container that holds `{{PROGRESS_BAR_COMPLETED_QUESTIONS}}` / `{{PROGRESS_BAR_TOTAL_QUESTIONS}}` if you only want the progress bar to appear.

To style this optional progress bar, insert the following CSS code into the action template's CSS editor.

```

.mt-product-finder-progress-bar-container {
  width: 500px;
  border: 1px solid #747474;
  border-radius: 10px;
  height: 10px;
  margin-bottom: 32px;
  text-align: center;
}

.mt-product-finder-progress-bar-container > div:first-child {
  background-color: #D8D8D8;
  border-radius: 10px;
  height: 8px;
}

```

You can further customize the optional progress bar by adding JavaScript for it to the **Optional JavaScript** console in the action template.

Styling the Product Finder

You can use the CSS in this code sample as a guide for styling the Product Finder action you're configuring.

```

.mt-product-finder-container {
  border-radius: 3px;
  color: #2b2b2b;
  display: flex;
  height: 100%;
  margin: 2% 4%;
}

.mt-product-finder-quiz-wrapper {
  flex-grow: 1;
  flex-basis: 0;
  border: 1px solid #979797;
  padding: 2% 3%;
  display: flex;
  flex-direction: column;
  align-items: center;
}

.mt-product-finder-welcome-screen-wrapper {
  flex-grow: 1;
  flex-basis: 0;
  border: 1px solid #979797;
  padding: 5% 3%;
  display: flex;
  flex-direction: column;
}

```

```
    align-items: center;
}

.mt-product-fiinder-welcome-screen-wrapper > * {
    margin: 0px;
    margin-bottom: 20px;
}

.mt-product-fiinder-welcome-screen-button {
    background-color: #3D3D3D;
    color: #FFF;
    min-height: 34px;
    width: 195px;
}

.mt-product-fiinder-results-wrapper {
    flex-grow: 1;
    flex-basis: 0;
    border: 1px solid #979797;
    padding: 2% 3%;
    display: flex;
    flex-direction: column;
    align-items: center}

.mt-product-fiinder-h1-text {
    font-size: 32px;
    font-weight: 600;
}

.mt-product-fiinder-products {
    display: grid;
    grid-template-columns: repeat(4, 25%);
    grid-gap: 10px;
    margin-top: 16px;
}

.mt-product-fiinder-item {
    text-align: left;
}

.mt-product-fiinder-item p {
    margin: 0px;
}

.mt-product__img {
    height: 130px;
    width: 120px;
```

```
}

.mt-product__title {
  font-size: 14px;
  text-align:left;
  width: 120px;
  word-break: break-all;
}

.mt-product-finder-question {
  font-size: 32px; margin-bottom: 16px;
}

.mt-product-finder-instructional-text {
  font-size: 21px; margin-bottom: 16px;
}

.mt-product-finder-single-select, .mt-product-finder-multi-select {
  align-items: center;
  display: flex;
  margin: 8px 16px 0px;
}

.mt-product-finder-single-select.has-answer-image, .mt-product-finder-multi-select.has-answer-ima
  margin-top: 76px;
}

.mt-product-finder-answer-image {
  border-radius: 50%;
  height: 100px;
  width: 100px;
}

.mt-product-finder-single-select.has-answer-image input[type=radio] + label,
.mt-product-finder-multi-select.has-answer-image input[type=checkbox] + label {
  border: 3px solid transparent;
  border-radius: 50%;
}

.mt-product-finder-single-select.has-answer-image input[type=radio]:hover + label,
.mt-product-finder-multi-select.has-answer-image input[type=checkbox]:hover + label {
  border: 3px solid #747474;
}

.mt-product-finder-single-select.has-answer-image input[type=radio]:checked + label,
.mt-product-finder-multi-select.has-answer-image input[type=checkbox]:checked + label {
  border: 6px solid #747474;
```

```

margin: -3px;
}

.mt-product-finder-single-select.has-answer-image input[type=radio] + label span,
.mt-product-finder-multi-select.has-answer-image input[type=checkbox] + label span {
    position: absolute;
    top: 11.8%;
}

.mt-product-finder-single-select input[type=radio] + label span,
.mt-product-finder-multi-select input[type=checkbox] + label span {
    border: 1px solid #747474;
    border-radius: 3px;
    cursor: pointer;
    display: flex;
    align-items: center;
    justify-content: center;
    min-height: 44px;
    width: 98px;
    word-break: break-all;
}

.mt-product-finder-single-select input[type=radio]:hover + label span,
.mt-product-finder-multi-select input[type=checkbox]:hover + label span {
    background-color: #E7E7E7;
}

.mt-product-finder-single-select input[type=radio]:checked + label span,
.mt-product-finder-multi-select input[type=checkbox]:checked + label span {
    border: 6px solid #747474;
    margin: -2px;
    background-color: #E7E7E7;
    color: #747474;
    font-weight: 600;
}

.mt-product-finder-single-select input,
.mt-product-finder-multi-select input {
    display: none;
}

.mt-product-finder-answers .has-answer-image label {
    position: relative
}

.mt-product-finder-answers .has-answer-image label span {
    position: absolute;

```



```
display: block;
}

.mt-product-fiinder-answers > div {
  display: flex;
  justify-content: center;
  flex-wrap: wrap;
}

.mt-product-fiinder-button-container {
  margin-top: 100px;
  display: flex;
  width: 100%;
}

.mt-product-fiinder-back-button {
  background-color: #ffff;
  border-radius: 3px;
  border: 1px solid #979797;
  min-width: 100px;
  min-height: 34px;
}

.mt-product-fiinder-next-button {
  background-color: #737373;
  border-radius: 3px;
  min-width: 100px;
  min-height: 34px;
  margin-left: auto;
}

.mt-product-fiinder-next-button-disabled {
  background-color: #CCCCCC;
  cursor: auto;
}

.mt-product-fiinder-restart-button {
  background-color: #737373;
  margin-top: 72px;
  min-height: 34px;
  width: 195px;
}

.mt-product-fiinder-result {
  text-align: center;
}

.mt-product-fiinder-restart-button {
```

```
.anti-procedure-into-result {
```

```
font-size: 24px;
```

```
margin-top: 72px;
```

```
text-align: center;
```

```
}
```

