

Build an Automated Personalization Experience

The Automated Personalization algorithm shows the right content to each customer on your site. It's most effective when you have the time to allow the Automated Personalization experience to complete a state of learning.

Exploration and Exploitation

The Automated Personalization experience is an online learning solution that begins with no assumptions about behavior on your site. It leverages observations to learn what experiences are best for each individual based on each person's unique context.

The Automated Personalization algorithm balances two concepts: exploration and exploitation. This means Monetate serves variants early in the experience across all individuals with different context variables. The result is that the Personalization Engine collects observational data about how visitors with different context behave against each of the variants in this experience. The collection phase is called exploration. If there are observations that statistically demonstrate better performance, the algorithm begins to exploit this learning. The Automated Personalization algorithm always balances and intermixes exploration (learning) and exploitation (performing or targeting).

Building an Automated Personalization Experience

Follow these steps to create an Automated Personalization experience.

1. Click **EXPERIENCES** in the top navigation bar and then click **Web**.
2. Click **CREATE EXPERIENCE**.
3. Configure the WHY settings.
 - a. Click **WHY**, select **Automated Personalization**, and then click **NEXT**.
 - b. Select the **goal metric** you want to optimize with this experience, and then click **NEXT**.

Ensure you put some time and thought into selecting the most appropriate goal metric for an Automated Personalization experience. Monetate makes one-to-one decisions to maximize that goal metric.

- c. Select any secondary metrics that you want to track with the Automated Personalization experience, and then click **NEXT**.

The Automated Personalization algorithm personalizes based on the goal metric you select in the previous step. Since the Personalization engine isn't optimizing for secondary metrics, it's possible that they may underperform within the experience.

- d. Verify that you have configured the WHY settings properly, and then click **SAVE**.
4. Configure the WHO settings as necessary if you need to narrow the target audience for the experience. See [Configure Experience Targeting](#) for the steps.
5. Configure at least one action for the WHAT settings. See the [Action Types](#) documentation category to learn more about action options.
6. Configure the WHEN settings as necessary to define when and for how long the experience should run. See [Configure Experience Timing](#) for the steps.
7. Configure the HOW settings as necessary if you need to customize the context variables and traffic assignment percentages.
 - a. Click **HOW**.
 - b. Click **EDIT** for the Engine Context section.
 - c. Expand the context category that you want to edit, and then click to select or deselect the context variable(s) you want to add or remove from the experience. See [Engine Context](#) for more information about these variables.
 - d. Click **SAVE**.
 - e. Click **EDIT** for the Configure Holdout section.
 - f. Optionally, change the holdout type. Click **Random Assignment**, select **Single Variant Holdout**, then select which variant should be assigned the holdout traffic, and then select what percentage of the traffic you want assigned to the holdout.
 - g. Click **SAVE**.
8. Click **PREVIEW** and then select the option that corresponds to the variant you want to preview and if you want to preview it alone or with all other active experiences. See [Activate an Experience for Preview and](#)

[Testing](#) for more information.

9. Click **ACTIVATE** to deploy the experience to your site as determined by the WHEN configuration.

Refer to [Experience Priority](#) and [Enable Auto-Promotion for Experiences](#) for more information about how experiences are prioritized.