

Create a Dynamic Bundle

Contact your dedicated Customer Success Manager (CSM) if you want to add the Dynamic Bundles feature to your account.

Follow the appropriate steps to create either a global bundle, which is available in all your accounts, or a local bundle, which is available only in the account you're currently in.

Creating a Global Bundle

Follow these steps to create a bundle that's available in all your accounts.

1. Click **COMPONENTS** in the top navigation bar, select **Product Recommendations**, and then click the **Dynamic Bundles** tab.
2. Click **CREATE A BUNDLE**.
3. Select the option on the Recommendation Permission modal to make the bundle global, and then click **CONTINUE**.

You cannot change the permission after you click **CONTINUE**.

4. Name the bundle. Click the placeholder title, type the name into the text field, and then click the green checkmark.

This field can contain a maximum of 64 characters.

5. Select an option from **Recommendation algorithm**.
6. If your Monetate implementation has at least one **market** set up and you selected either **Purchased and Also Purchased** or **Viewed and Also Viewed** in the previous step, then take the following actions:
 - a. Select the source of the data that the algorithm considers.
 - **[current account]** – The algorithm considers only data from the account in which you're creating the bundle
 - **[retailer short name]** – The algorithm considers data from all accounts within your Monetate implementation
 - **Specific Market** – The algorithm considers data from the market you select

- b. If you selected **Specific Market** in step 6a, then choose an option from **Select a Market**.
7. If you selected **Purchased and Also Purchased** in step 5 and if Offline Purchases Data is [set as the default](#) on the **Global Settings** tab, then select **Online purchases only**, **Offline purchases only**, or **Online and offline purchases** from **Including**.
8. Select from **Base Recommendation on** the type of customer behavior or other context on which to base the recommendations.

If you select **Item group ID(s) in custom variable**, which allows you to base recommendations on the `item_group_id` value(s) in a custom variable passed at run time, be aware that the first `item_group_id` value of the custom variable that you input into **Custom Variable** in step 10b is used as the context item for the bundle instead of the product the customer is viewing.

If you're creating the bundle to use in a [Dynamic Bundles Email action](#), you can select the **Item group ID(s) in run-time parameter (for email)** option and then pass an `item_group_id` value to serve as the context item in a run-time parameter. See [Preparing the Generated HTML](#) in [Create a Dynamic Bundles Email Experience](#) for more information.

9. If you selected **Item(s) purchased in previous sessions** or **Last item purchased in any session** in step 8 and if Offline Purchases Data is [set as the default](#) on the **Global Settings** tab, then select an option from **Data Includes**:
- **Online purchases only** – Offline purchases aren't included in the customer purchase history
 - **Online and offline purchases** – Offline purchases along with online purchases are included in the customer purchase history
10. If you want the product around which the bundle is built to appear along with the results, then toggle **Prepend context item in recommendation** to **YES**.
11. If you selected **Item group ID(s) in custom variable** in step 8, then type into **Custom Variable** a custom variable that your site passes to Monetate using either the `setCustomVariables` method call in the Monetate API implementation or `monetate:context:CustomVariables` in the [Engine API](#) implementation.
12. Select from **Lookback Period** how much historical data should be considered when determining the recommended products.
13. Leave **Randomize Results** set to **NO**.

14. Configure at least two and no more than nine product categories, and then, as necessary, arrange their order. See [Configuring Product Categories](#) for more information.
15. As necessary, configure one or more filters to further refine the products included in the bundle. Click **ADD FILTER**, select an option from **SELECT ATTRIBUTE**, and then complete the filter equation. Repeat this step as necessary to add as many filters as you believe the bundle needs. For more information see [Filter Best Practices for Bundles](#) as well as [Filters in Recommendations](#).
16. Optionally, configure up to five Boost and Bury filters to influence if recommended products that meet that filtering criteria are more likely (boost) or less likely (bury) to appear for the customer. See [Boost and Bury](#) for more information.
17. Click **SAVE**.

Creating a Local Bundle

Follow these steps to create a bundle that's available only in the account you're viewing.

1. Click **COMPONENTS** in the top navigation bar, select **Product Recommendations**, and then click the **Dynamic Bundles** tab.
2. Click **CREATE A BUNDLE**.
3. Select the option on the Recommendation Permission modal to make the bundle local, and then click **CONTINUE**.

You cannot change the permission after you click **CONTINUE**.

4. Name the bundle. Click the placeholder title, type the name into the text field, and then click the green checkmark.

This field can contain a maximum of 64 characters.

5. Optionally, select a [Recommendations dataset](#) that you previously uploaded that contains the curated product collection that you want to use in the bundle.

6. If the account has multiple product catalogs, select the one you want to use.
7. Select an option from **Recommendation algorithm**.
8. If your Monetate implementation has at least one [market](#) set up and you selected either **Purchased and Also Purchased** or **Viewed and Also Viewed** in the previous step, then take the following actions:
 - a. Select the source of the data that the algorithm considers.
 - **[current account]** – The algorithm considers only data from the account in which you're creating the bundle
 - **[retailer short name]** – The algorithm considers data from all accounts within your Monetate implementation
 - **Specific Market** – The algorithm considers data from the market you select
 - b. If you selected **Specific Market** in step 8a, then choose an option from **Select a Market**.
9. If you selected **Purchased and Also Purchased** in step 7 and if Offline Purchases Data is [set as the default](#) on the **Global Settings** tab, then select **Online purchases only**, **Offline purchases only**, or **Online and offline purchases** from **Including**.
10. Select from **Base Recommendation on** the type of customer behavior or other context on which to base the recommendations.

If you select **Item group ID(s) in custom variable**, which allows you to base recommendations on the `item_group_id` value(s) in a custom variable passed at run time, be aware that the first `item_group_id` value of the custom variable that you input into **Custom Variable** in step 12b is used as the context item for the bundle instead of the product the customer is viewing.

If you're creating the bundle to use in a [Dynamic Bundles Email action](#), you can select the **Item group ID(s) in run-time parameter (for email)** option and then pass an `item_group_id` value to serve as the context item in a run-time parameter. See [Preparing the Generated HTML](#) in [Create a Dynamic Bundles Email Experience](#) for more information.

11. If you selected **Item(s) purchased in previous sessions** or **Last item purchased in any session** in step 10 and if Offline Purchases Data is [set as the default](#) on the **Global Settings** tab, then select an option from **Data Includes**:
 - **Online purchases only** – Offline purchases aren't included in the customer purchase history
 - **Online and offline purchases** – Offline purchases along with online purchases are included in the customer purchase history

12. If you want the product around which the bundle is built to appear at the beginning of the results, then toggle **Prepend context item in recommendation** to **YES**.
13. If you selected **Item group ID(s) in custom variable** in step 10, then type into **Custom Variable** a custom variable that your site passes to Monetate using either the `setCustomVariables` method call in the Monetate API implementation or `monetate:context:CustomVariables` in the [Engine API](#) implementation.
14. Select from **Lookback Period** how much historical data should be considered when determining the recommended products.
15. Leave **Randomize Results** set to **NO**.
16. Configure at least two and no more than nine product categories, and then, as necessary, arrange their order. See [Configuring Product Categories](#) for more information.
17. As necessary, configure one or more filters to further refine the products included in the bundle. Click **ADD FILTER**, select an option from **SELECT ATTRIBUTE**, and then complete the filter equation. Repeat this step as necessary to add as many filters as you believe the bundle needs. For more information see [Filter Best Practices for Bundles](#) in this documentation as well as [Filters in Recommendations](#).
18. Optionally, configure up to five Boost and Bury filters to influence if recommended products that meet that filtering criteria are more likely (boost) or less likely (bury) to appear for the customer. See [Boost and Bury](#) for more information.
19. Click **SAVE**.

Configuring Product Categories

A Dynamic Bundles slider can contain no fewer than two products and no more than nine. Each product category that you configure in a bundle returns one item, except for the product category that the context item matches. If **Prepend context item in recommendation** is enabled, then the context item counts toward the total products in the set. If this setting isn't enabled, then the product category that the context item matches *doesn't* contribute a product to the set, and the set at most will have one fewer product than the maximum set in the action.

Furthermore, the order of the product categories that you configure in the bundle defines the order in which the products appear in the slider. When configuring a bundle, you can rearrange the order of the product categories that you include.

Follow these steps to configure a product category.

1. Name the category. Click the pencil icon, type the category's name, and then click the green checkmark.

2. Add a filter based on a product catalog attribute.
 - a. Click **ADD FILTER** and then select an attribute.

 - b. Select the operator.

 - c. Either input one or more static values, or click **USE DYNAMIC VALUE** and then select an option. See [Static and Dynamic Values in Filters in Recommendations](#) for more information.

 - d. As necessary, repeat steps 2a through 2c to add additional filters to the product category. Toggle **AND** to **OR** to change the filter logic, if required.

3. Repeat steps 1 and 2 to create at least one more product category and no more than nine total product categories.
4. As necessary, drag and drop each product category to rearrange their order.

5. Click **SAVE**.

Filter Best Practices for Bundles

Keep in mind this guidance when creating not only product category filters but also bundle-level filters:

- Don't use any dynamic value option other than **<attribute> of Product That Recommendation Is Based On**. This guidance applies to not only to product category filters and bundle-level filters but also [Boost and Bury](#) filters.
- If you want to filter based on viewed products or carted products to cover more of the products in the catalog, then select one of the options from the VIEWED or CARTED categories of **Base Recommendation on**, and then use the **<attribute> of Product That Recommendation Is Based On** dynamic value option in a filter.

No matter if they're set on the **Global Settings** tab of the Product Recommendations page, at the bundle level, or at the product category level, filters that have static values are all applied simultaneously. So too is a filter with the **<attribute> of Product That Recommendation Is Based On** dynamic value option.

Contact your dedicated Customer Success Manager (CSM) if you need assistance creating filters that meet your goals.